

### 6048q Series Zero Clients Power Class

Model Numbers: 6048qv, 6048qc, 6048qr, 6048qp

### Industry Leading VDI Performance

The 10ZiG 6048q Series is a flexible, powerful "workhorse" Zero Client addition to the 10ZiG product lineup empowered with an Intel J4105 Quad Core Processor and supporting Dual DisplayPort 4K @ 60Hz. A compact, durable, reliable, and fanless device, the 10ZiG 6048q comes Fiber Optional and features an innovative I/O expansion via a Port-on-Foot design, allowing for extended configurations including 1 x COM + 1 x Parallel Port.

This sturdy endpoint complements a VDI environment with multimedia capacity for virtual desktops with no moving parts, and is forceful yet energy-efficient as a small form factor.




▶ Intel J4105 Quad-Core 1.5GHz with 2.5GHz Burst
▶ 2 x DisplayPort (3840 x 2160 @ 60Hz each)
▶ 1 x DDR4 RAM for High Speed Support
▶ RJ45 LAN (Optional Fiber LAN)
▶ Optional Port-on-Foot Stand with Extended Configuration
▶ Optional TPM 2.0
▶ Optional Wireless (External Dual Antenna)
▶ Supports VESA Mount and Kensington Lock
▶ FREE Centralized Management via 10ZiG Manager

# 6048q Series Zero Clients



System	
Management	The 10ZiG Manager
Form Factor	Mini
Processor	Intel J4105 Quad-Core 1.5GHz (with 2.5GHz Burst)
Processor Graphics	Intel HD Graphics
Dimensions	
Device	1.7" (D) x 6.0" (W) x 7.9" (H)
Weight	3.53 lbs. (1.6 kg.)
Connections	
Ports on Device	2 x DisplayPort, 4 x USB 2.0, 1 x USB 3.0, 1 x USB-C, 1 x Mic In, 1 x Line Out, 1 x DC Jack
Port-on-Foot Options	1 x COM + 1 x Parallel Port
Video Resolution	2 x 3840 x 2160 @ 60Hz
Networking	
Wireless	Optional (802.11 a/b/g/n/ac Dual External Antenna)
Ethernet	10/100/1000 Base-T, RJ-45 LAN or Fiber Optional
Environmental	
Operating Temp.	32°-95°F (0°-35°C), 20-80% non-condensing humidity



## SPECIFICATIONS

1. Power Button/Power LED
2. USB Type C
3. USB 3.0
4. Mic-In
5. Line-out
6. Antenna Holes
7. USB 2.0
8. DisplayPorts
9. RJ45 LAN (Optional Fiber LAN)
10. 12V DC jack
11. Kensington Lock
12. Optional Port-on-Foot

	<b>VMware</b>	<b>Citrix</b>	<b>RDP</b>	<b>Parallels RAS</b>
	<b>6048qv</b>	<b>6048qc</b>	<b>6048qr</b>	<b>6048qp</b>
<b>Operating System</b>	<b>NOS™ (Zero)</b>	<b>NOS™ (Zero)</b>	<b>NOS™ (Zero)</b>	<b>NOS™ (Zero)</b>
<b>Memory (RAM)</b>	Std: 4GB Max: 8GB	Std: 4GB Max: 8GB	Std: 4GB Max: 8GB	Std: 4GB Max: 8GB
<b>VDI Broker Support</b>	VMware Horizon (Blast Extreme, PCoIP, RDP)	Citrix XenApp & XenDesktop (HDX, HDX Premium, HDX 3D Pro)	RDP	Parallels RAS

Note: 4K performance dependent upon your current VDI Infrastructure and the necessary minimum requirements to support it.