

6100 Series Thin Clients

Model Numbers: 6172, 6110

Industry Leading Endpoints & Management Software

The 10ZiG 6100 Series is a performance beast! Stylish, compact, and fanless, this power-user based endpoint kicks things into gear for your high-demand workers with DDR4 RAM (2 x SO-DIMM Slots), 8 USB ports, and 4-monitor support at 4K @ 60Hz display resolution. Supportive of VMware, Citrix, Microsoft, Amazon WorkSpaces, and more. Equipped with free centralized management via The 10ZiG Manager™, which comes cloud-enabled with unlimited user licenses. Covered by a 3-Year Advance Warranty, technical support, and software upgrades. Also available in a Zero Client device.




▶ AMD Dual Core 2.3GHz (3.2GHz Burst)
▶ 4 x DisplayPort (3840 x 2160), 4K @ 60Hz
▶ Up to 32GB DDR4 RAM for High Speed Support
▶ 5 x USB Port 2.0, 2 x USB Port 3.0, 1 x USB Port Type C
▶ RJ45 LAN/Fiber LAN (SFP) Ready Options
▶ TAA Compliant
▶ Optional TPM
▶ Optional Wireless (Dual External Antenna)
▶ Supports VESA Mount and Kensington Lock
▶ FREE Centralized Management via 10ZiG Manager™

6100 Series Thin Clients



System	
Management	10ZiG Manager™
Processor	AMD Dual Core 2.3GHz (3.2GHz Burst)
Processor Graphics	Radeon Vega 3
Dimensions	
Device	8.27" (D) x 2.09" (W) x 9.06" (H) in.
Weight	5.64 lbs. (2.56 kg.)
Connections	
Ports on Device	4 x DisplayPort, 5 x USB Port 2.0, 2 x USB Port 3.0, 1 x USB Port Type C, 1 x Smart Card Reader, 1 x Mic-In, 1 x Line-Out, 1 x DC Jack
Video Resolution	4 x (3840 x 2160) @ 60Hz (4 Monitors at 4K UHD)
Networking	
Wireless	Optional (802.11 a/b/g/n/ac External Antenna)
Ethernet	10/100/1000 Base-T, RJ45 LAN or Fiber LAN (SFP) Optional
Environmental	
Operating Temp.	32°- 95°F (0° - 35°C), 20-80% non-condensing humidity



SPECIFICATIONS

- | | |
|---------------------------------|--------------------------|
| 1. Power Button | 12. Fiber LAN (Optional) |
| 2. USB 3.0 | 13. DC Jack |
| 3. USB C | 14. USB 2.0 |
| 4. Mic-In | 15. Kensington Lock Slot |
| 5. Line-Out | |
| 6. Smart Card Reader (Optional) | |
| 7. Antenna Holes | |
| 8. RJ45 LAN | |
| 9. USB 2.0 | |
| 10. USB 2.0 | |
| 11. DisplayPorts | |

Operating System

6172
PeakOS™ (Linux)

6110
Windows 10 IoT

Memory		
RAM	Std: 8GB Max: 32GB	Std: 8GB Max: 32GB
Storage	Std: 8GB Max: 256GB	Std: 32GB Max: 256GB
Software		

Software Applications	Citrix Workspace App, VMware Horizon Client, FreeRDP Client, Parallels Client, Firefox, Google Chrome*, Adobe Reader, Putty, VNC (Shadowing), iSeries/5250 Emulation*	Citrix Workspace App, RDP, Azure Virtual Desktop Client, VMware Horizon Client, Amazon WorkSpaces Client*, Workspot Client, Parallels RAS Client, Edge Browser VNC (Shadowing), 10ZiG Quick Start & UWF Wizard
-----------------------	---	--

Connection Servers	VMware: Horizon, Workspace One, Horizon Security Server, Unified Access Gateway Citrix: Storefront, Netscaler, Citrix Cloud RDP: Direct RDP, RD Gateway, RD Load Balancer, RD Web Parallels RAS	VMware Horizon, Workspace One, Horizon Security Server, Unified Access Gateway, Citrix Storefront, Netscaler, Citrix Cloud, Azure Virtual Desktop, Amazon Workspaces, Parallels RAS, Workspot VDI
--------------------	---	--

Note: Actual display performance, such as multi-monitor and higher resolutions including 4K/UHD/QHD/WQHD are dependent upon your current VDI infrastructure and any additional requirements. Consult with 10ZiG for further guidance and model recommendation.

*Optional Application may require alternative model; please speak to a sales representative to confirm.



Americas	P: +1 (866) 865-5250	E: info@10ZiG.com
EMEA	P: +44 (0) 116 214 8650	E: info@10ZiG.eu
APAC	P: +61 2 80027421	E: info@10ZiG.com.au
DE	P: +49 (0) 6724 9304-45	E: vertrieb@10zig.de

W: www.10ZiG.com

